



Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLXWC
Weathered Concrete



Easily update and finish an existing fireplace with Revillusion technology.

Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete



Deluxe Features

ComfortSaver® Heating System

The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

Eco Boost

When Eco Boost is activated heater runs in a reduced wattage range.

Flame Speed

Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.

Glass Pane Included

Also available in Herringbone Brick - RBF24DLX



120 V | 1,500 W | 5,118 BTU

Model #	Description	Lbs / Kg	UPC	Wty ¹	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft ³	m ³
RBF24DLXWC	24" Built-in Electric Firebox - Weathered concrete interior	58,2 / 26,4	781052 129832	2 yrs.	29-3/8 x 28-1/8 x 16-3/8	74.4 x 71.2 x 41.6	7.83	0.22
RBF24DLX	24" Built-in Electric Firebox - Herringbone brick interior	58,2 / 26,4	781052 120655	2 yrs.	29-3/8 x 28-1/8 x 16-3/8	74.4 x 71.2 x 41.6	7.83	0.22
RBFL24BR	Birch Log Set	15 / 6.8	781052 130005	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBFL24FC	Fresh Cut Log Set	15 / 6.8	781052 129955	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBF24TRIM36	36" Installation Trim	15.7 / 7.1	781052 123595	1 yr.	39-1/8 x 36-1/4 x 4-5/8	99.2 x 92.0 x 11.5	3.80	0.10
RBF24TRIM40	40" Installation Trim	17.7 / 8.0	781052 123618	1 yr.	43 x 36-1/4 x 4-5/8	109.2 x 92.0 x 11.8	1.01	0.11

Specifications, finishes and dimensions are subject to change. ¹Limited warranty. ©2019 Glen Dimplex Americas


SE-457-R02-091119

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In / Direct-wire**
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)



RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

RBF24DLXWC		
A	B	C
12-1/2" (31.8 cm)	24-5/8" (62.5 cm)	22-3/4" (59.3 cm)
D	E	F
47-3/4" (121.2 cm)	33-3/4" (85.7 cm)	33-3/4" (85.7 cm)

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:

